

Message

**From:** **Nonresponsive based on revised scope**  
**Sent:** 10/19/2018 7:55:40 PM  
**To:** Wagner, Christine [Wagner.Christine@epa.gov]  
**Subject:** Shiloh Data and Scribe  
**Attachments:** SHILOH CHURCH ROAD\_101918.jpg; DRAFT\_Radiant\_Source\_Locs.pdf; DRAFT\_Sample\_Locs.pdf

Hi Chris,

Attached is the backup for Shiloh. I renamed the file extension “.jpg” as I mentioned on the phone. Change the extension to “.bac” to be able to open it in Scribe. I’ve also publish the database, if the file rename does not work.

I’ve also identified the unmatched sample numbers. The laboratory gave the filtered (dissolved) water metals samples new sample ID numbers. I generated new samples with updated IDs for these samples to import with the corresponding lab generated CLP numbers. The sample locations with -03 are dissolved metals samples. This note will be updated in the sampling plan. -00 is a regular sample, -01 is a duplicate, -04 is a trip blank.

I need to confirm all the data was imported and see what samples if any, are missing results. I know already this includes the samples that did not receive validation, i.e. the alcohol/methanol and as the ignitability samples. I exported the tables by soil and water, these need some quality cleanup to be readable, and filtering by analysis.

Also attached are the draft sample location and radiation sources maps. There are additional samples that were collected adjacent to **Ex. 6 Personal Privacy (PP)** I need to reverence the logbook/field maps to confirm all these locations.

Let me know if you receive this and are able open it in Scribe. If you find any issues before I do, let me know. I’ll follow up with the data tables once I’ve distilled and organized them.

Thank you for the call today. Have a good weekend.

Sincerely,

**Nonresponsive based on revised scope**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.